

POWERMASTER



LIGHTING CATALOGUE EDITION 10

CONTENTS

LED WORKLIGHTS



1	LED Slimline Rechargeable Worklight - 10W	P4
2	LED Slimline Rechargeable Worklight - 20W	
3	LED 240V Portable Worklight - 20W	P5
4	LED 240V Single Tripod Worklight - 20W	
5	LED 240V Twin Tripod Worklight - 20W	P6
6	LED 110V Portable Worklight - 20W	
7	LED 110V Single Tripod Worklight - 20W	
8	LED 110V Twin Tripod Worklight - 20W	

LED HIGHBAYS



9	LED Dimmable UFO Highbay - 100W	P7
10	LED Dimmable UFO Highbay - 150W	
11	LED Dimmable UFO Highbay - 200W	
12	LED UFO Highbay - Reflector 60°	
13	LED UFO Highbay - Reflector 90°	
14	LED UFO Highbay - IP65 Sensor	
15	LED UFO Highbay - Bracket	

LED SKY PANEL



16	LED 3D Cloud Sky Panel - 40W	P8
----	------------------------------	----

LED BATTENS



17	LED IP20 Screwless Batten - 20W - Single	P9
18	LED IP20 Screwless Batten - 30W - Single	
19	LED IP20 Screwless Batten - 40W - Single	
20	LED IP20 Screwless Batten - 40W - Twin	
21	LED IP20 Screwless Batten - 60W - Twin	
22	LED IP20 Screwless Batten - 65W - Twin	
23	LED IP20 Screwless Batten - 20W Single Emergency	
24	LED IP20 Screwless Batten - 30W Single Emergency	
25	LED IP20 Screwless Batten - 40W Single Emergency	P10
26	LED IP20 Screwless Batten - 40W Twin Emergency	
27	LED IP20 Screwless Batten - 60W Twin Emergency	
28	LED IP20 Screwless Batten - 65W Twin Emergency	
29	LED IP20 Batten 2ft / 60cm - 18W	
30	LED IP20 Batten 4ft / 120cm - 36W	
31	LED IP20 Batten 5ft / 150cm - 45W	
32	LED IP20 Batten 6ft / 180cm - 60W	
33	LED Compatible 2ft / 60cm T8 - Single	P11
34	LED Compatible 4ft / 120cm T8 - Single	
35	LED Compatible 5ft / 150cm T8 - Single	
36	LED Compatible 6ft / 180cm T8 - Single	
37	LED Compatible 4ft / 120cm T8 - Twin	
38	LED Compatible 5ft / 150cm T8 - Twin	
39	LED Compatible 6ft / 180cm T8 - Twin	
40	LED Compatible 4ft / 120cm IP65 T8 - Single	
41	LED Compatible 5ft / 150cm IP65 T8 - Single	
42	LED Compatible 6ft / 180cm IP65 T8 - Single	
43	LED Compatible 4ft / 120cm IP65 T8 - Twin	
44	LED Compatible 5ft / 150cm IP65 T8 - Twin	
45	LED Compatible 6ft / 180cm IP65 T8 - Twin	

LED UTILITY



46	LED Pivoting Linking Cabinet Light - 3W	P12
47	LED Triangular Cabinet Light - 2W	
48	LED 2m Colour Change Flexi Strip - 15W	
49	LED 5m Colour Change Flexi Strip - 36W	P13
50	LED White Circular Bulkhead - 15W	
51	LED White Shaver Light - 5W	

LED OUTDOOR



52	LED PIR Twin Black Spotlight - 2 x 6W	P14
53	LED PIR Bulkhead - 10W	
54	LED Photocell Bulkhead - 10W	P15
55	LED Polycarbonate Bulkhead - 7W	
56	LED Polycarbonate Bulkhead - 10W	

LED GARDEN



57	LED 20 White Large Globe Festoon String - 3W	P15
58	LED 20 Coloured Large Globe Festoon String - 3W	
59	LED White 10m Linkable Rope Light - 8W	
60	LED Colour 10m Linkable Rope Light - 8W	

FIRE RATED



61	IP65 Fire Rated 3000k Downlight - White	P16
62	IP65 Fire Rated 4000k Downlight - White	
63	IP65 Fire Rated Clip on Bezel - Chrome	
64	IP65 Fire Rated Clip on Bezel - Brushed	P17
65	Fire Rated Spring Clip Downlight - White	
66	Fire Rated Spring Clip Downlight - Chrome	
67	Fire Rated Spring Clip Downlight - Brushed	
68	Twist & lock Fire Rated Fixed - White	
69	Twist & lock Fire Rated Fixed - Chrome	
70	Twist & lock Fire Rated Fixed - Brushed	
71	Fire Rated Tilt - White	
72	Fire Rated Tilt - Chrome	P17
73	Fire Rated Tilt - Brushed	

CONTENTS

IP RATED



74	IP65 & Fire Fixed - White	P18
75	IP65 & Fire Fixed - Chrome	
76	IP65 & Fire Fixed - Brushed	
77	IP65 Slimline Downlight - White	
78	IP65 Slimline Downlight - Chrome	
79	IP65 Slimline Downlight - Brushed	P19
80	IP44 Chrome Bathroom Spotlight	
81	Florescent 4ft / 120cm IP65 T8 - Single	
82	Florescent 5ft / 150cm IP65 T8 - Single	
83	Florescent 4ft / 120cm IP65 T8 - Twin	
84	Florescent 5ft / 150cm IP65 T8 - Twin	
85	IP65 Stainless Steel Clips 4ft / 5ft x 12	
86	IP65 Stainless Steel Clips 6ft x 14	

BATTENS



87	Florescent 2ft / 60cm T8 - Single	P20
88	Florescent 4ft / 120cm T8 - Single	
89	Florescent 5ft / 150cm T8 - Single	
90	Florescent 6ft / 180cm T8 - Single	
91	Florescent 4ft / 120cm T8 - Twin	
92	Florescent 5ft / 150cm T8 - Twin	
93	Florescent 6ft / 180cm T8 - Twin	

SPOTLIGHTS



94	Single Spot - Chrome	P21
95	Single Spot - Brushed	
96	Twin Bar Spot - Chrome	
97	Twin Bar Spot - Brushed	
98	Triple Bar Spot - Chrome	
99	Triple Bar Spot - Brushed	P22
100	Four Bar Folding Spot - Chrome	
101	Four Bar Folding Spot - Brushed	
102	Triple Plate Spot - Brushed	
103	Triple Fixed Downlight Kit - White	
104	Triple Fixed Downlight Kit - Chrome	
105	Triple Fixed Downlight Kit - Brushed	
106	Triple Tilt Downlight Kit - Chrome	
107	Triple Tilt Downlight Kit - Brushed	

DESK LAMPS



108	Desk Lamp - Black	P23
109	Desk Lamp - White	
110	Angle Poise Desk Lamp - Black	
111	Angle Poise Desk Lamp - White	

OUTDOOR SECURITY



112	500W Max Floodlight - Black	P24
113	150W Max Floodlight - Black	
114	500W Max PIR Floodlight - Black	
115	500W Max PIR Floodlight - White	
116	150W Max PIR Floodlight - Black	
117	150W Max PIR Floodlight - White	
118	180° PIR Standalone Sensor - Black	
119	180° PIR Standalone Sensor - Black	

OUTDOOR BULKHEADS



120	Oval Bulkhead - Black	P25
121	Oval Bulkhead - White	
122	Round Bulkhead - Black	
123	Polycarbonate Bulkhead - Black	

OUTDOOR LANTERNS




124	6 Sided Lantern - Black	P26
125	6 Sided Lantern - White	
126	6 Sided 2-in-1 Plastic Lantern - Black	
127	4 Sided Lantern - Black	
128	4 Sided Lantern - White	
129	Leaded 4 Sided Lantern - Black / Silver	P27
130	3 Sided Half Wall Lantern - Black	
131	3 Sided Half Wall Lantern - White	
132	8 Sided Pavilion Lantern - Charcoal	P28
133	Tube Wall Lantern - Stainless Steel	
134	Tri-Arm Wall Lantern - Stainless Steel	
135	Mini Grill Wall Lantern - Stainless Steel	
136	Twin Wall Spotlight - Stainless Steel	
137	Twin Wall Spotlight - Copper	P29

OUTDOOR PIR LANTERNS



138	PIR Twin Wall Spotlight - Stainless Steel	P29
139	PIR Twin Wall Spotlight - Copper	P30
140	PIR 6 Sided Lantern - Black	
141	PIR 6 Sided Lantern - White	
142	PIR 4 Sided Lantern - Black	
143	PIR 4 Sided Lantern - White	

INFORMATION



Product Information	P31
Icons	P34
IP Classifications	P35
IK Classifications	
Fire Rated Requirements	
Kelvin Classifications	

1

LED Slimline Rechargeable Worklight - 10W

- 10W SMD LED
- Daylight - 6,000K
- IP54
- 3-Pin Plug Mains Charger
- 12V Car Charger
- Over-Charge Protection
- Up to 3 Hours Operating Time From A Full 4 Hour Charge



1

S11566

LED Slimline Rechargeable Worklight - 10W



Black & Yellow



12V Adapter



Rechargeable Battery



SMD - DL



Up to 15,000 Hrs Product Life



IP Rated

2

LED Slimline Rechargeable Worklight - 20W

- 20W SMD LED
- Daylight - 6,000K
- IP54
- 3-Pin Plug Mains Charger
- 12V Car Charger
- Over-Charge Protection
- Up to 3 Hours Operating Time From A Full 4 Hour Charge



2

S11567

LED Slimline Rechargeable Worklight - 20W



Black & Yellow



12V Adapter



Rechargeable Battery



SMD - DL



Up to 15,000 Hrs Product Life



IP Rated

3**LED 240V Portable Worklight - 20W**

- 20W SMD LED
- 1,600 Lumens
- IP65
- Daylight - 6,500K
- Slimline Design
- Cable Length 300cm
- 220-240V
- Fitted 3-Pin Plug
- Cable length – 300cm*

**3****S12120**

LED 240v Portable Worklight - 20W

4**LED 240V Single Tripod Worklight - 20W**

- 20W SMD LED
- 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 220-240V
- Fitted 3-Pin Plug
- Cable length – 300cm*

**4****S12121**

LED 240v Single Tripod Worklight - 20W

5**LED 240V Twin Tripod Worklight - 2 x 20W**

- 2 x 20W SMD LED
- 2 x 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 220-240V
- Fitted 3-Pin Plug
- Cable length – 300cm*

**5****S12122**

LED 240v Twin Tripod Worklight - 2 x 20W

6

LED 110V Portable Worklight - 20W

- 20W SMD LED
- 1,600 Lumens
- IP65
- Daylight - 6,500K
- Slimline Design
- Cable Length 300cm
- 110V
- 110V Plug
- Cable length – 300cm*



 Yellow	 SMD - DL	 Up to 25,000 Hrs Product Life	 65 IP Rated
---	---	---	---

6

S13419

LED 110v Portable Slim Worklight – 20w

7

LED 110V Single Tripod Worklight - 20W

- 20W SMD LED
- 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 110V
- 110V Plug
- Cable length – 300cm*



 Yellow	 SMD - DL	 Up to 25,000 Hrs Product Life	 65 IP Rated
---	---	---	---

7

S13420

LED 110v Single Telescopic Tripod Slim Worklight – 20w

8

LED 110V Twin Tripod Worklight - 2 x 20W

- 2 x 20W SMD LED
- 2 x 1,600 Lumens
- Daylight - 6,500K
- IP65
- Slimline Design
- Cable Length 300cm
- 110V
- 110V Plug
- Cable length – 300cm*



 Yellow	 SMD - DL	 Up to 25,000 Hrs Product Life	 65 IP Rated
---	---	---	---

8

S13421

LED 110v Twin Telescopic Tripod Slim Worklight – 2 x 20w

9-11

LED Dimmable UFO High Bay - 100W-200W

- IP65
- Lumens per Watt: 130
- Beam Angle: 120°
- Colour Temperature: 5700K
- Wide Input Voltage: 100 - 277V
- Power Factor: 0.93
- Working Temp: -30°C to 50°C
- CRI - RA80
- 50,000 Hours
- Dimmable
- Flicker Free
- Aluminium Heat Sync
- Samsung SMD LED Chips
- Lifud Driver
- Built in Potentiometer to control Power and Lumens



9	S15050	LED Dimmable UFO High Bay - 100W
10	S15451	LED Dimmable UFO High Bay - 150W
11	S15452	LED Dimmable UFO High Bay - 200W



12-13

UFO High Bay - Reflectors



S15453



S15454

12	S15453	UFO Highbay - Reflector 60°
13	S15454	UFO Highbay - Reflector 90°

14-15

UFO High Bay - Accessories

- IP65
- 12m Range*



S15455



S15456

14	S15455	UFO Highbay - IP65 Sensor
15	S15456	UFO Highbay - Bracket

3D CLOUD SKY PANEL



16

LED 3D Cloud Sky Panel - 40W

- 600 x 600
- Thickness 12mm*
- White Trim
- 40W
- 1500 Lumens
- CRI - RA80
- IP20
- Flicker Free
- Remote Driver
- Daylight - 6,000K
- 220~240V / 50~60Hz
- Non-Dimmable
- Power Factor - 0.9
- Beam Angle - 120°



16

S14971

LED 3D Cloud Sky Panel - 40W



17-22

LED IP20 Screwless Hinged Battens - 20W-65W

- White Steel Housing
- Aluminium PCB Heatsink
- Opal PC Diffuser
- 120 Lumens per Watt
- Colour Temperature: 4000K
- IP20
- IK08
- Flicker Free
- Screwless Hinged Bracket
- Quick Fit Push Terminals



17	S15400	4ft LED IP20 Screwless Batten - 20W Single
18	S15404	5ft LED IP20 Screwless Batten - 30W Single
19	S15408	6ft LED IP20 Screwless Batten - 40W Single
20	S15401	4ft LED IP20 Screwless Batten - 40W Twin
21	S15405	5ft LED IP20 Screwless Batten - 60W Twin
22	S15409	6ft LED IP20 Screwless Batten - 65W Twin



23-28

LED IP20 Screwless Hinged Battens - Emergency - 20W-65W

- White Steel Housing
- Aluminium PCB Heatsink
- Opal PC Diffuser
- 120 Lumens per Watt
- Colour Temperature: 4000K
- IP20
- IK08
- Flicker Free
- Screwless Hinged Bracket
- Quick Fit Push Terminals
- Emergency - 1.5W-2W Power
- 3 Hour Duration



23	S15402	4ft LED IP20 Screwless Batten - 20W Single Emergency
24	S15406	5ft LED IP20 Screwless Batten - 30W Single Emergency
25	S15410	6ft LED IP20 Screwless Batten - 40W Single Emergency
26	S15403	4ft LED IP20 Screwless Batten - 40W Twin Emergency
27	S15407	5ft LED IP20 Screwless Batten - 60W Twin Emergency
28	S15411	6ft LED IP20 Screwless Batten - 65W Twin Emergency



LED BATTENS - IP20

29-32 LED IP20 Slimline Battens - 18W-60W

- IP20
- Built in LED's
- Aluminium Body & Trim
- Opal Plastic Lens
- 80 Lumens Per Watt
- 220-250V
- Power Factor 0.9
- CRI - RA80
- Cool White - 4,000K
- Slimline Design
- Retrofit & Easy to Install
- Extra long cable supplied (3/4 of the total fitting length)



29	S15075	LED IP20 Batten 2ft 60cm - 18W
30	S15076	LED IP20 Batten 4ft 120cm - 36W
31	S15077	LED IP20 Batten 5ft 150cm - 45W
32	S15078	LED IP20 Batten 6ft 180cm - 60W



White & Silver



SMD - CW



Up to 25,000 Hrs



IP Rated

33-36 LED Compatible Single Batten Fittings

- Iron
- White
- Slimline
- T8 Lampholder
- 240V
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied

33	S9485	LED Compatible 2ft / 60cm T8 - Single
34	S8989	LED Compatible 4ft / 120cm T8 - Single
35	S8990	LED Compatible 5ft / 150cm T8 - Single
36	S8486	LED Compatible 6ft / 180cm T8 - Single





White



IP Rated

37-39 LED Compatible Twin Batten Fittings

- Iron
- White
- Slimline
- T8 Lampholder
- 240V
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied

37	S9488	LED Compatible 4ft / 120cm T8 - Twin
38	S9489	LED Compatible 5ft / 150cm T8 - Twin
39	S9490	LED Compatible 6ft / 180cm T8 - Twin





White



IP Rated

40-42

LED Compatible IP65 Single Tri-Proof Batten Fittings

- ABS Base
- PC Diffuser
- PC Clips
- T8 Lampholder
- 240V
- IP65
- Tri-Proof
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied



40	S9491	LED Suitable 4ft / 120cm IP65 T8 - Single
41	S9493	LED Suitable 5ft / 150cm IP65 T8 - Single
42	S9495	LED Suitable 6ft / 180cm IP65 T8 - Single



43-45

LED Compatible Twin IP65 Tri-Proof Batten Fittings

- ABS Base
- PC Diffuser
- PC Clips
- T8 Lampholder
- 240V
- IP65
- Tri-Proof
- ONLY Suitable for LED Tubes
- Single End Connection
- LED Tube not Supplied



43	S9492	LED Suitable 4ft / 120cm IP65 T8 - Twin
44	S9494	LED Suitable 5ft / 150cm IP65 T8 - Twin
45	S9496	LED Suitable 6ft / 180cm IP65 T8 - Twin



46 LED Pivoting Linking Cabinet Light - 3W

- Aluminium Base
- Prismatic Diffuser
- Pivoting Head
- 3W SMD LED
- Link up to 30 Units
- Warm White - 3,000K
- 240V
- 30cm (1ft Equiv.) Length
- 1.8m Lead Cable
- 50cm Link Cable



46 S7198 LED Pivoting Linking Cabinet Light - 3W



47 LED Triangular Cabinet Light - 2W

- Iron
- Frosted Lens
- Brushed Chrome
- Fixed Head
- 120° Degree Beam Angle
- 2W SMD LED
- 240V
- Cool White - 4,000K
- Surface Mount Installation
- 50cm Connection Cable



47 S8162 LED Triangular Cabinet Light - 2W



48-49 LED Colour Change Flexi Strips - 15W-36W

- Clear Lens
- 5050 SMD LED
- 120° Degree Beam Angle
- Colour Changing
- Plug In Driver / Transformer
- 2m Lead Cable
- Simple 'Plug & Play' Installation
- 3M™ Adhesive Strip Installation
- 1 Connector
- Non-linkable Once Cut
- Remote Control
- Controller Only Controls 1 Strip



48 S7135 LED 2m Colour Change Flexi Strip - 15W

49 S9672 LED 5m Colour Change Flexi Strip - 36W



50

LED White Circular Bulkhead - 15W

- ABS Base
- Polycarbonate Diffuser
- Indoor or Outdoor Use
- Cool White - 4,000K
- 120° Beam Angle
- 1,500 Lumens
- IP65
- 240V



50

S8991

LED White Circular Bulkhead - 15W

51

LED White Shaver Light - 5W

- White Base & Opal Diffuser
- Slimline Design
- 5W SMD LED
- Cool White - 4,000K
- 240V



51

S11385

LED White Shaver Light - 5W

52 LED PIR Twin Black Spotlight - 2 x 6W

- Plastic Anti Corrosive
- Matt Black Finish
- 2 x 6W COB LED
- Vertical / Horizontal Independent Head Movement
- 240V
- 30° to 80° Adjustable LED Beam Angle
- Daylight - 5,500K
- 180° PIR
- 12m Range
- Simple 'Easy Fix' Installation
- IP44



52 **S8160** LED PIR Twin Black Spotlight - 2 x 6W



53 LED PIR Bulkhead - 10W

- Polycarbonate
- Prismatic PC Lens
- 10W SMD LED
- Anti Corrosive
- Daylight - 6,400K
- 220-240V~50Hz
- Adjustable PIR
- PMO – Pulsed Manual Override (On/Off/Auto)
- PIR Angle: 110°
- PIR Range: up to 12m
- PIR Time On: up to 4 Minutes
- IP44



53 **S9348** LED PIR Bulkhead - 10W



54 LED Photocell Bulkhead - 10W

- Polycarbonate
- Prismatic PC Lens
- 10W SMD LED
- Anti Corrosive
- Daylight - 6,400K
- 220-240V~50Hz
- Fixed Photocell
- IP44



54 **S9349** LED Photocell Bulkhead - 10W



55-56

LED Polycarbonate Bulkheads - 7W-10W

- Polypropylene Base
- Polycarbonate Diffuser
- 7W/10W SMD LED
- Daylight - 6,500K
- 240V
- IP65



55	S13019	LED Polycarbonate Bulkhead - 7w
56	S8250	LED Polycarbonate Bulkhead - 10w




57-58

LED Linkable Large Globe Festoon String - 3W

- 3W Coloured or White LED's
- 20 x LED GLS Style Lamps
- Static LEDs
- Shatterproof Bulb Casing
- Lamp Diameter 50mm
- Hook on Each Lamp
- 5.0m Lead Wire
- 0.5m Between Lamps (9.5m)
- 14.5m Total Length
- 240V
- Linkable (4 Sets=80 Globe Lights)
- IP44



57	S9399	LED 20 White Large Globe Festoon String - 3W
58	S8894	LED 20 Coloured Large Globe Festoon String - 3W




59-60

LED Linkable Rope Lights & Controller - 8W

- 8W Coloured or White LED's
- 10m Rope Light
- 1.5m Rubber Wire
- 11.5m Total Length
- IP44
- 8 Function Controller
- BS Outdoor Plug
- Linkable (10 Sets = 100m)
- Indoor or Outdoor Use



59	S9400	LED White 10m Linkable Rope Light & Controller - 8W
60	S9401	LED Colour 10m Linkable Rope Light & Controller - 8W



61-62 Fire Rated & IP65 LED Dimmable Downlight - 5.5w

- 5.5W
- 91 Lumen per Watt
- 500 Lumen
- Dimmable
- 60° Beam Angle
- Warm White or Cool White
- 220-240V
- IP65 Rated
- 30, 60 and 90 Minute Fire Rated
- White Bezel



61	S15343	Fire Rated & IP65 LED Downlight - 5.5w - 3000K
62	S15344	Fire Rated & IP65 LED Downlight - 5.5w - 4000K



63-64 IP65 Fire Rated Clip on Bezel

- Decorative Conversion Bezel for Product S15343 & S15344
- Available in Chrome or Brushed
- Assorted Finish



63	S15345	IP65 Fire Rated Clip on Bezel - Chrome
64	S15346	IP65 Fire Rated Clip on Bezel - Brushed



65-67**Fire Rated Spring Clip Downlights**

- Pressed Steel
- Assorted Finish
- GU10 Lampholder
- Max. 50W
- 240V
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated



65	S6590	Fire Rated Spring Clip Downlight - White
66	S6591	Fire Rated Spring Clip Downlight - Chrome
67	S6592	Fire Rated Spring Clip Downlight - Brushed

**68-70****Fire Rated Twist & Lock Downlights**

- Pressed Steel
- Assorted Finish
- GU10 Lampholder
- Max. 50W
- 240V
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- Twist & Lock Access



68	S9609	Fire Rated Twist & Lock Downlight - White
69	S9610	Fire Rated Twist & Lock Downlight - Chrome
70	S9611	Fire Rated Twist & Lock Downlight - Brushed

**71-73****Fire Rated Tilt Downlights**

- Pressed Steel
- Assorted Finish
- GU10 Lampholder
- Max. 50W
- 220 - 240V
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated
- Adjustable Tilt Function



71	S12929	Fire Rated Spring Clip Tilt - White
72	S12930	Fire Rated Spring Clip Tilt - Chrome
73	S12931	Fire Rated Spring Clip Tilt - Brushed



FIRE RATED

74-76 IP65 Fire Rated Downlights

- Die Cast Aluminium
- Clear Glass
- Assorted Finish
- GU10 Lampholder
- Max. 35W
- 240V
- IP65
- Acoustic Part E
- 30, 60 and 90 Minute Fire Rated



74	S6593	IP65 & Fire Rated Fixed - White
75	S6594	IP65 & Fire Rated Fixed - Chrome
76	S6595	IP65 & Fire Rated Fixed - Brushed

77-79 IP65 Slimline Downlights

- Die Cast Aluminium
- Frosted Glass
- Assorted Finish
- GU10 Lampholder
- Max. 35W
- 240V
- IP65
- Acoustic Part E
- Slimline



77	S7686	IP65 Slimline Downlight - White
78	S7687	IP65 Slimline Downlight - Chrome
79	S7688	IP65 Slimline Downlight - Brushed

80 IP44 Bathroom Spotlight

- Aluminium
- Frosted Lens
- Brushed Chrome & Chrome
- 3 x GU10 Lampholders
- Max. 35W
- 240V
- IP44



80	S6843	IP44 Chrome Bathroom Spotlight
----	-------	--------------------------------

81-82

IP65 Single Tri-Proof Batten Fittings

- ABS Base
- PC Diffuser
- PC Clips
- T8 Lampholders
- 240V
- IP65
- High Frequency Ballast
- Tri-Proof



81	S6316	Fluorescent 4ft / 120cm IP65 T8 - Single
82	S6317	Fluorescent 5ft / 150cm IP65 T8 - Single



83-84

IP65 Twin Tri-Proof Batten Fittings

- ABS Base
- PC Diffuser
- PC Clips
- T8 Lampholders
- 240V
- IP65
- High Frequency Ballast
- Tri-Proof
- Twin Fitting



83	S6318	Fluorescent 4ft / 120cm IP65 T8 - Twin
84	S6319	Fluorescent 5ft / 150cm IP65 T8 - Twin



85-86

IP65 Stainless Steel Clips

- Stainless Steel
- 4ft, 5ft and 6ft IP65 Batten Fittings - Fluorescent & LED



85	S9673	IP65 Stainless Steel Clips 4ft / 5ft x 12
86	S9674	IP65 Stainless Steel Clips 6ft x 14



87-90

Fluorescent Single Batten Fittings

- Iron
- White
- T8 Lampholders
- 240V
- High Frequency Ballast



87	S6310	Fluorescent 2ft / 60cm T8 - Single
88	S6311	Fluorescent 4ft / 120cm T8 - Single
89	S6312	Fluorescent 5ft / 150cm T8 - Single
90	S6313	Fluorescent 6ft / 180cm T8 - Single



91-93

Fluorescent Twin Batten Fittings

- Iron
- White
- T8 Lampholders
- 240V
- High Frequency Ballast
- Twin Fitting



91	S6320	Fluorescent 4ft / 120cm T8 - Twin
92	S6321	Fluorescent 5ft / 150cm T8 - Twin
93	S10275	Fluorescent 6ft / 180cm T8 - Twin



94-95

Single Spotlight

- Iron
- Brushed Chrome
- 1 x GU10 Lampholder
- Max. 50W
- 240V



94	S6330	Single Spot - Chrome
95	S6334	Single Spot - Brushed



96-97

Twin Bar Spotlight

- Iron
- Assorted Finish
- 2 x GU10 Lampholders
- Max. 50W
- 240V




96	S6331	Twin Bar Spot - Chrome
97	S6335	Twin Bar Spot - Brushed



98-99

Triple Bar Spotlights

- Iron
- Assorted Finish
- 3 x GU10 Lampholders
- Max. 50W
- 240V



98	S6332	Triple Bar Spot - Chrome
99	S6336	Triple Bar Spot - Brushed



100-101 Four Bar Folding Spotlights

- Iron
- Assorted Finish
- 4 x GU10 Lampholders
- Max. 50W
- 240V
- Folding 4 Bar



100	S6333	Four Bar Folding Spot - Chrome
101	S6337	Four Bar Folding Spot - Brushed



102-103 Triple Plate Spotlight

- Iron
- Assorted Finish
- 3 x GU10 Lampholders
- Max. 50W
- 240V
- Mini Spotlight



102	S6833	Triple Plate Spot - Brushed
-----	-------	-----------------------------



103-107 Triple Pack Fixed/Tilt Downlight Kits

- Zinc Alloy
- Assorted Finish
- 3 x GU10 Lampholders
- Max. 50W
- 240V
- Pre-Fitted Spring Clips
- 120° Tilt*



103	S6324	Triple Fixed Downlight Kit - White
104	S6325	Triple Fixed Downlight Kit - Chrome
105	S6326	Triple Fixed Downlight Kit - Brushed
106	S6328	Triple Tilt Downlight Kit - Chrome*
107	S6329	Triple Tilt Downlight Kit - Brushed*



108-109

Desk Lamps

- Iron & Plastic
- ES Lampholder
- Max. 40W
- 240V
- 1.6m Lead Wire
- On/Off Switch



108	S6301	Desk Lamp - Black
109	S6302	Desk Lamp - White

110-111

Angle Poise Desk Lamps

- Iron & Plastic
- ES Lampholder
- 240V
- 1.6m Lead Wire
- In-line On/Off Rocker Switch



110	S11562	Angle Poise Desk Lamp - Black
111	S11563	Angle Poise Desk Lamp - White

112-117 Halogen Floodlights & PIR Floodlights

- Aluminium
- Clear Tempered Glass
- R7s Lampholder
- 240V
- IP44
- 180° Degree PIR*
- 12m Range*
- IP44*



112	S5885	500W Max Floodlight - Black
113	S5887	150W Max Floodlight - Black
114	S5889	500W Max PIR Floodlight - Black*
115	S5890	500W Max PIR Floodlight - White*
116	S5891	150W Max PIR Floodlight - Black*
117	S5892	150W Max PIR Floodlight - White*



118-119 PIR Standalone Sensors 180°

- Plastic
- Opal Lens
- Horizontal Movement - 140 Degree
- Vertical Movement - 90 Degree
- Switching Capacity 1,200W
- 240V
- 180° Degree PIR
- 12m Range
- IP44



118	S5909	180° PIR Standalone Sensor - Black
119	S8161	180° PIR Standalone Sensor - Black



120-121

Amenity Oval Bulkheads

- Polypropylene Base
- Prismatic Glass Lens
- Protective Cage
- ES Lampholder
- Max. 60W
- 240V
- IP44



120	S5879	Oval Bulkhead - Black
121	S5880	Oval Bulkhead - White



122

Amenity Round Bulkhead

- Polypropylene Base
- Prismatic Glass Lens
- Protective Cage
- ES Lampholder
- Max. 60W
- 240V
- IP44



122	S5881	Round Bulkhead - Black
-----	-------	------------------------



123

Commercial Bulkhead

- Polypropylene Base
- Polycarbonate Diffuser
- ES Lampholder
- Max 100W
- 240V
- IP65



123	S6354	Polycarbonate Bulkhead - Black
-----	-------	--------------------------------



124-125 6 Sided Wall Lanterns

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 240V
- IP44



124	S5895	6 Sided Lantern - Black
125	S5896	6 Sided Lantern - White



126 6 Sided Plastic 2-in-1 Wall Lantern

- Plastic
- Clear Glass
- ES Lampholder
- Max. 60W
- 240V
- IP44
- Dual Mounting (2-in-1)
- Anti Corrosion



126	S6645	6 Sided 2-in-1 Plastic Lantern - Black
-----	-------	--



127-128 4 Sided Wall Lanterns

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 240V
- IP44



127	S5897	4 Sided Lantern - Black
128	S5898	4 Sided Lantern - White



129**4 Sided Wall Lantern**

- Aluminium
- Leaded Effect Glass
- Black / Silver Finish
- ES Lampholder
- Max. 60W
- 240V
- IP23

**129****S5901**

Leaded 4 Sided Lantern - Black / Silver

130-131**3 Sided Half Wall Lanterns**

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 240V
- IP44

**130****S5906**


3 Sided Half Wall Lantern - Black

131**S5907**

3 Sided Half Wall Lantern - White

132**8 Sided Pavilion Lantern**

- Aluminium
- PC Diffuser
- Charcoal Finish
- 8 Sided
- IP44
- Class I
- 220 - 240V

**132****S12511**

8 Sided Pavilion Lantern - Charcoal

133 Stainless Steel Wall Lantern

- Stainless Steel
- Clear Glass
- ES Lampholder
- Max. 60W
- 240V
- IP44



133 S5908 Tube Wall Lantern - Stainless Steel

Stainless Steel E27 - ES Candle IP Rated 44

134 Stainless Steel Tri-Arm Lantern

- Stainless Steel
- IP44
- Mirror Panel Reflector
- Class I
- 220 - 240V



134 S12510 Tri-Arm Wall Lantern - Stainless Steel

Stainless Steel GU10 IP Rated 44

135 Stainless Steel Mini Pagoda Lantern

- Stainless Steel
- Frosted Glass Diffuser
- IP44
- Class I
- 220 - 240V




135 S12509 Mini Grill Wall Lantern - Stainless Steel

Stainless Steel E14 - SES Golf IP Rated 44

136-137

Stainless Steel Twin Wall Spotlight

- Stainless Steel
- Clear Tempered Glass
- Dual Illumination Light
- 2 x GU10 Lampholders
- 240V
- IP44



136	S6831	Twin Wall Spotlight - Stainless Steel
137	S14048	Twin Wall Spotlight - Copper



138-139

Stainless Steel PIR Twin Wall Spotlight

- Stainless Steel
- Clear Tempered Glass
- Dual Illumination Light
- Motion Sensor PIR
- 90° PIR
- Pulsed Manual Override (PMO)
- 240V
- IP44



138	S8163	PIR Twin Wall Spotlight - Stainless Steel
139	S14049	PIR Twin Wall Spotlight - Copper



140-141 PIR 6 Sided Wall Lanterns

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- IP43
- 240V
- 120° Degree PIR
- 8m Range



140	S5902	6 Sided Lantern - Black
141	S5903	6 Sided Lantern - White



142-143 PIR 4 Sided Wall Lanterns

- Aluminium
- Clear Glass
- ES Lampholder
- Max. 60W
- 240V
- IP43
- 120° Degree PIR
- 8m Range



142	S5904	4 Sided Lantern - Black
143	S5905	4 Sided Lantern - White



PRODUCT INFORMATION

Page	Item No	Short Code	Barcode	Description	Lamp Supplied	W (mm)	D (mm)	H (mm)	Case	Wattage	Lamp Type	Lumens	Kelvin
4	1	S11566	5050028118374	LED Slimline Rechargeable Worklight	Yes	145	166	275	10	10W	SMD LED	500	6,000K
	2	S11567	5050028118381	LED Slimline Rechargeable Worklight	Yes	215	184	311	8	20W	SMD LED	1,000	6,000K
5	3	S12120	5050028134985	LED 240V Portable Worklight	Yes	212	182	265	6	20W	SMD LED	1,600	6,500K
	4	S12121	5050028134978	LED 240V Single Tripod Worklight	Yes	970	724	1705	4	20W	SMD LED	1,600	6500K
	5	S12122	5050028134961	LED 240V Twin Tripod Worklight	Yes	970	724	1725	4	2x 20W	SMD LED	2 x 1,600	6,500K
6	6	S13419	5050028160670	LED 110V Portable Worklight	Yes	212	182	265	6	20W	SMD LED	1,600	6,500K
	7	S13420	5050028160687	LED 110V Single Tripod Worklight	Yes	970	724	1705	4	20W	SMD LED	1,600	6500K
	8	S13421	5050028160694	LED 110V Twin Tripod Worklight	Yes	970	724	1725	4	2x 20W	SMD LED	2 x 1,600	6,500K
7	9	S15050	5050028200543	LED Dimmable UFO High Bay	Yes	252	252	181	1	100W	SMD LED	13,000	5,000K
	10	S15451	5050028200550	LED Dimmable UFO High Bay	Yes	252	252	201	1	150W	SMD LED	19,500	5,000K
	11	S15452	5050028200567	LED Dimmable UFO High Bay	Yes	280	280	225	1	200W	SMD LED	26,000	5,000K
	12	S15453	5050028202963	LED UFO Highbay Reflector 60°	No	343	343	130	20	-	-	-	-
	13	S15454	50500282029270	LED UFO Highbay Reflector 90°	No	353	353	130	20	-	-	-	-
	14	S15455	50500282029287	LED UFO Highbay IP65 Photocell	No	-	-	-	10	-	-	-	-
8	15	S15456	50500282029294	LED UFO Highbay Bracket	No	-	-	-	10	-	-	-	-
	16	S14971	5050028188100	LED 3D Cloud Sky Panel	Yes	600	600	12	4	40W	SMD LED	1,500	6,000K
	17	S15400	5050028208631	LED IP20 Screwless Hinged Batten Single	Yes	1170	61	71	10	20W	SMD LED	2,400	4,000K
	18	S15404	5050028208679	LED IP20 Screwless Hinged Batten Single	Yes	1470	61	71	8	30W	SMD LED	3,600	4,000K
	19	S15408	5050028208716	LED IP20 Screwless Hinged Batten Single	Yes	1734	61	71	6	40W	SMD LED	4,800	4,000K
	20	S15401	5050028208648	LED IP20 Screwless Hinged Batten Twin	Yes	1170	61	71	10	40W	SMD LED	4,800	4,000K
	21	S15405	5050028208686	LED IP20 Screwless Hinged Batten Twin	Yes	1470	61	71	8	60W	SMD LED	7,200	4,000K
	22	S15409	5050028208723	LED IP20 Screwless Hinged Batten Twin	Yes	1734	61	71	6	65W	SMD LED	7,800	4,000K
	23	S15402	5050028208655	LED IP20 Screwless Hinged Batten Single Emergency	Yes	1170	61	71	10	20W	SMD LED	2,400	4,000K
	24	S15406	5050028208693	LED IP20 Screwless Hinged Batten Single Emergency	Yes	1470	61	71	8	30W	SMD LED	3,600	4,000K
	25	S15410	5050028208730	LED IP20 Screwless Hinged Batten Single Emergency	Yes	1734	61	71	6	40W	SMD LED	4,800	4,000K
	26	S15403	5050028208662	LED IP20 Screwless Hinged Batten Twin Emergency	Yes	1170	61	71	10	40W	SMD LED	4,800	4,000K
	27	S15407	5050028208709	LED IP20 Screwless Hinged Batten Twin Emergency	Yes	1470	61	71	8	60W	SMD LED	7,200	4,000K
	28	S15411	5050028208747	LED IP20 Screwless Hinged Batten Twin Emergency	Yes	1734	61	71	6	65W	SMD LED	7,800	4,000K
	9	29	S15075	5050028200598	LED IP20 Batten 2ft / 60cm	Yes	610	75	25	20	18W	SMD LED	1,440
30		S15076	5050028200604	LED IP20 Batten 4ft / 120cm	Yes	1210	75	25	20	36W	SMD LED	2,880	4,000K
31		S15077	5050028200611	LED IP20 Batten 5ft / 150cm	Yes	1510	75	25	20	45W	SMD LED	3,600	4,000K
32		S15078	5050028200628	LED IP20 Batten 6ft / 180cm	Yes	1810	75	25	20	60W	SMD LED	4,800	4,000K
33		S9485	5050028092148	LED Compatible 2ft / 60cm T8 - Single	No	626	62	38	20	-	T8 LED	-	-
34		S8989	5050028082156	LED Compatible 4ft / 120cm T8 - Single	No	1237	62	38	12	-	T8 LED	-	-
35		S8990	5050028082163	LED Compatible 5ft / 150cm T8 - Single	No	1537	62	38	12	-	T8 LED	-	-
36		S9486	5050028092155	LED Compatible 6ft / 180cm T8 - Single	No	1801	62	38	12	-	T8 LED	-	-
37		S9488	5050028092179	LED Compatible 4ft / 120cm T8 - Twin	No	1237	102	67	12	-	T8 LED	-	-
38		S9489	5050028092186	LED Compatible 5ft / 150cm T8 - Twin	No	1537	102	67	12	-	T8 LED	-	-
10	39	S9490	5050028092193	LED Compatible 6ft / 180cm T8 - Twin	No	1801	102	67	12	-	T8 LED	-	-
	40	S9491	5050028092285	LED Compatible 4ft / 120cm T8 IP65 - Single	No	1265	72	86	12	-	T8 LED	-	-
	41	S9493	5050028092308	LED Compatible 5ft / 150cm T8 IP65 - Single	No	1565	72	86	12	-	T8 LED	-	-
	42	S9495	5050028092322	LED Compatible 6ft / 180cm T8 IP65 - Single	No	1830	100	102	8	-	T8 LED	-	-
	43	S9492	5050028092292	LED Compatible 4ft / 120cm T8 IP65 - Twin	No	1265	115	86	8	-	T8 LED	-	-
	44	S9494	5050028092315	LED Compatible 5ft / 150cm T8 IP65 - Twin	No	1565	115	86	8	-	T8 LED	-	-
	45	S9496	5050028092339	LED Compatible 6ft / 180cm T8 IP65 - Twin	No	1830	152	102	6	-	T8 LED	-	-
11	46	S7198	5050028042549	LED Pivoting Linking Cabinet Light	Yes	303	62	21	12	3W	SMD LED	275	3,000K
	47	S8162	5050028061502	LED Triangular Cabinet Light	Yes	125	127	42	10	3W	SMD LED	133	4,000K
	48	S7135	5050028041849	LED 2m Colour Change Flexi Strip	Yes	2000	10	10	12	15W	SMD LED	-	CC
	49	S9672	5050028094333	LED 5m Colour Change Flexi Strip	Yes	5000	10	10	12	36W	SMD LED	-	CC

PRODUCT INFORMATION

Page	Item No	Short Code	Barcode	Description	Lamp Supplied	W (mm)	D (mm)	H (mm)	Case	Wattage	Lamp Type	Lumens	Kelvin
13	50	S8991	5050028082170	LED White Circular Bulkhead	Yes	325	325	100	12	15W	SMD LED	1,500	4,000K
	51	S11385	5050028115373	LED White Shaver Light	Yes	446	87	55	20	5W	SMD LED	400	4,000K
14	52	S8160	5050028061489	LED PIR Twin Black Spotlight	Yes	182	123	226	12	2 x 6W	SMD LED	1,000	5,500K
	53	S9348	5050028089414	LED PIR Bulkhead	Yes	113	113	270	8	10W	SMD LED	470	6,400K
	54	S9349	5050028089421	LED Photocell Bulkhead	Yes	113	112	270	6	10W	SMD LED	470	6,400K
15	55	S13019	5050028145349	LED Polycarbonate Bulkhead	Yes	105	80	200	12	7W	SMD LED	450	6,500K
	56	S8250	5050028063759	LED Polycarbonate Bulkhead	Yes	125	120	245	10	10W	SMD LED	650	6,500K
	57	S9399	5050028090557	LED 20 White Large Globe Festoon String	Yes	50	120	14500	6	3W	5mm LED	TBC	6,500K
	58	S8894	5050028083504	LED 20 Coloured Large Globe Festoon String	Yes	50	120	14500	6	3W	5mm LED	-	Coloured
	59	S9400	5050028090564	LED White 10m Linkable Rope Light & Controller	Yes	30	30	11500	10	8W	5mm LED	600	6,500K
16	60	S9401	5050028090571	LED Colour 10m Linkable Rope Light & Controller	Yes	30	30	11500	10	8W	5mm LED	-	Coloured
	61	S15343	5050028207412	IP65 Fire Rated Downlight - White	Yes	84	84	55	12	5W	SMD LED	550	3,000K
	62	S15344	5050028207429	IP65 Fire Rated Downlight - White	Yes	84	84	55	12	5W	SMD LED	550	4,000K
	63	S15345	5050028207436	IP65 Fire Rated Clip on Bezel - Chrome	-	-	-	-	12	-	-	-	-
17	64	S15346	5050028207443	IP65 Fire Rated Clip on Bezel - Brushed	-	-	-	-	12	-	-	-	-
	65	S6590	5050028036401	Fire Rated Spring Clip Downlights - White	No	84	84	120	40	-	GU10	-	-
	66	S6591	5050028036432	Fire Rated Spring Clip Downlights - Chrome	No	84	84	120	40	-	GU10	-	-
	67	S6592	5050028036463	Fire Rated Spring Clip Downlights - Brushed	No	84	84	120	40	-	GU10	-	-
	68	S9609	5050028093558	Fire Rated Twist & Lock Fixed - White	No	92.5	92.5	115	40	-	GU10	-	-
	69	S9610	5050028093565	Fire Rated Twist & Lock Fixed - Chrome	No	92.5	92.5	115	40	-	GU10	-	-
	70	S9611	5050028093572	Fire Rated Twist & Lock Fixed - Brushed	No	92.5	92.5	115	40	-	GU10	-	-
	71	S12929	5050028143505	Fire Rated Spring Clip Tilt - White	No	86	86	118	40	-	GU10	-	-
	72	S12930	5050028143512	Fire Rated Spring Clip Tilt - Chrome	No	86	86	118	40	-	GU10	-	-
	73	S12931	5050028143529	Fire Rated Spring Clip Tilt - Brushed	No	86	86	118	40	-	GU10	-	-
18	74	S6593	5050028036494	IP65 & Rated Fixed - White	No	86	86	125	40	-	GU10	-	-
	75	S6594	5050028036524	IP65 & Rated Fixed - Chrome	No	86	86	125	40	-	GU10	-	-
	76	S6595	5050028036555	IP65 & Rated Fixed - Brushed	No	86	86	125	40	-	GU10	-	-
	77	S7686	5050028048565	IP65 Slimline Downlight - White	No	83	83	35	40	-	GU10	-	-
	78	S7687	5050028048572	IP65 Slimline Downlight - Chrome	No	83	83	35	40	-	GU10	-	-
	79	S7688	5050028048589	IP65 Slimline Downlight - Brushed	No	83	83	35	40	-	GU10	-	-
19	80	S6843	5050028040866	IP44 Chrome Bathroom Spotlight	No	255	255	175	8	-	GU10	-	-
	81	S6316	5050028034285	Fluorescent 4ft / 120cm IP65 T8 - Single	No	1265	72	86	12	-	T8	-	-
	82	S6317	5050028034292	Fluorescent 5ft / 150cm IP65 T8 - Single	No	1565	72	86	12	-	T8	-	-
	83	S6318	5050028034308	Fluorescent 4ft / 120cm IP65 T8 - Twin	No	1265	115	86	8	-	T8	-	-
	84	S6319	5050028034315	Fluorescent 5ft / 150cm IP65 T8 - Twin	No	1565	115	86	8	-	T8	-	-
	85	S9673	5050028094340	IP65 Stainless Steel Clips 4ft / 5ft x 12	No	-	-	-	120	-	-	-	-
	86	S9674	5050028094357	IP65 Stainless Steel Clips 6ft x 14	No	-	-	-	120	-	-	-	-
20	87	S6310	5050028034223	Fluorescent 2ft / 60cm T8 - Single	No	626	62	38	20	-	T8	-	-
	88	S6311	5050028034230	Fluorescent 4ft / 120cm T8 - Single	No	1237	62	38	12	-	T8	-	-
	89	S6312	5050028034247	Fluorescent 5ft / 150cm T8 - Single	No	1537	62	38	12	-	T8	-	-
	90	S6313	5050028034254	Fluorescent 6ft / 180cm T8 - Single	No	1801	62	38	12	-	T8	-	-
	91	S6320	5050028034322	Fluorescent 4ft / 120cm T8 - Twin	No	1237	102	67	12	-	T8	-	-
	92	S6321	5050028034339	Fluorescent 5ft / 150cm T8 - Twin	No	1537	102	67	12	-	T8	-	-
	93	S10275	5050028098379	Fluorescent 6ft / 180cm T8 - Twin	No	1801	102	67	12	-	T8	-	-
21	94	S6330	5050028034650	Single Spot - Chrome	No	110	100	130	10	-	GU10	-	-
	95	S6334	5050028034698	Single Spot - Brushed	No	110	100	130	10	-	GU10	-	-
	96	S6331	5050028034667	Twin Bar Spot - Chrome	No	275	100	130	10	-	GU10	-	-
	97	S6335	5050028034704	Twin Bar Spot - Brushed	No	275	100	130	10	-	GU10	-	-


PRODUCT INFORMATION

Page	Item No	Short Code	Barcode	Description	Lamp Supplied	W (mm)	D (mm)	H (mm)	Case	Wattage	Lamp Type	Lumens	Kelvin
21	98	S6332	5050028034674	Triple Bar Spot - Chrome	No	445	100	130	10	-	GU10	-	-
	99	S6336	5050028034711	Triple Bar Spot - Brushed	No	445	100	130	10	-	GU10	-	-
22	100	S6333	5050028034681	Four Bar Folding Spot - Chrome	No	650	100	130	10	-	GU10	-	-
	101	S6337	5050028034728	Four Bar Folding Spot - Brushed	No	650	100	130	10	-	GU10	-	-
	102	S6833	5050028040477	Triple Plate Spot - Brushed	No	160	160	150	10	-	GU10	-	-
	103	S6324	5050028034599	Triple Fixed Downlight Kit - White	No	86	76	76	30	-	GU10	-	-
	104	S6325	5050028034605	Triple Fixed Downlight Kit - Chrome	No	86	76	76	30	-	GU10	-	-
	105	S6326	5050028034612	Triple Fixed Downlight Kit - Brushed	No	86	76	76	30	-	GU10	-	-
	106	S6328	5050028034636	Triple Tilt Downlight Kit - Chrome	No	86	86	86	30	-	GU10	-	-
	107	S6329	5050028034643	Triple Tilt Downlight Kit - Brushed	No	86	86	86	30	-	GU10	-	-
	23	108	S6301	5050028034131	Desk Lamp - Black	No	130	130	150	12	-	SES	-
109		S6302	5050028034148	Desk Lamp - White	No	130	130	150	12	-	SES	-	-
110		S11562	5050028118336	Angle Poise Desk Lamp - Black	No	150	300	560	6	-	R7S	-	-
111		S11563	5050028118343	Angle Poise Desk Lamp - White	No	150	300	560	6	-	R7S	-	-
24	112	S5885	5050028031383	500W Max Floodlight - Black	Yes	185	155	170	6	-	R7S	-	-
	113	S5887	5050028031406	150W Max Floodlight - Black	Yes	140	125	130	6	-	R7S	-	-
	114	S5889	5050028031420	500W Max PIR Floodlight - Black	Yes	185	155	230	6	-	R7S	-	-
	115	S5890	5050028031437	500W Max PIR Floodlight - White	Yes	185	155	230	6	-	R7S	-	-
	116	S5891	5050028031444	150W Max PIR Floodlight - Black	Yes	150	140	185	6	-	R7S	-	-
	117	S5892	5050028031451	150W Max PIR Floodlight - White	Yes	150	140	185	6	-	R7S	-	-
	118	S5909	5050028031628	180° PIR Standalone Sensor - Black	No	85	100	70	6	-	-	-	-
	119	S8161	5050028061496	180° PIR Standalone Sensor - Black	No	90	125	150	6	-	-	-	-
25	120	S5879	5050028031321	Oval Bulkhead - Black	No	125	110	180	8	-	ES	-	-
	121	S5880	5050028031338	Oval Bulkhead - White	No	125	125	183	8	-	ES	-	-
	122	S5881	5050028031345	Round Bulkhead - Black	No	193	99	193	8	-	ES	-	-
	123	S6354	5050028034988	Polycarbonate Bulkhead - Black	No	245	125	124	10	-	ES	-	-
26	124	S5895	5050028031482	6 Sided Lantern - Black	No	180	220	330	4	-	ES	-	-
	125	S5896	5050028031499	6 Sided Lantern - White	No	180	220	330	4	-	ES	-	-
	126	S6645	5050028037781	6 Sided 2-in -1 Plastic Lantern - Black	No	195	220	325	6	-	ES	-	-
	127	S5897	5050028031505	4 Sided Lantern - Black	No	150	190	360	4	-	ES	-	-
	128	S5898	5050028031512	4 Sided Lantern - White	No	150	190	360	4	-	ES	-	-
27	129	S5901	5050028031543	Leaded 4 Sided Lantern - Black / Silver	No	151	176	322	4	-	ES	-	-
	130	S5906	5050028031598	3 Sided Half Wall Lantern - Black	No	327	187	102	2	-	ES	-	-
	131	S5907	5050028031604	3 Sided Half Wall Lantern - White	No	327	187	102	2	-	ES	-	-
	132	S12511	5050028138594	8 Sided Pavilion Lantern - Charcoal	No	157	212	222	8	-	ES	-	-
28	133	S5908	5050028031611	Tube Wall Lantern - Stainless Steel	No	175	210	310	2	-	ES	-	-
	134	S12510	5050028138587	Tri-Arm Wall Lantern - Stainless Steel	No	189	242	215	6	-	GU10	-	-
	135	S12509	5050028138570	Mini Grill Wall Lantern - Stainless Steel	No	102	150	172	6	-	SES	-	-
29	136	S6831	5050028040453	Twin Wall Spotlight - Stainless Steel	Yes	100	103	160	8	-	GU10	-	-
	137	S14048	5050028169260	Twin Wall Spotlight - Copper	Yes	100	103	160	8	-	GU10	-	-
	138	S8163	5050028061519	PIR Twin Wall Spotlight - Stainless Steel	Yes	65	115	230	8	-	GU10	-	-
	139	S14049	5050028169277	PIR Twin Wall Spotlight - Copper	Yes	65	115	230	8	-	GU10	-	-
30	140	S5902	5050028031550	PIR 6 Sided Lantern - Black	No	180	230	370	4	-	ES	-	-
	141	S5903	5050028031567	PIR 6 Sided Lantern - White	No	180	230	370	4	-	ES	-	-
	142	S5904	5050028031574	PIR 4 Sided Black Lantern - Black	No	150	205	380	4	-	ES	-	-
	143	S5905	5050028031581	PIR 4 Sided Lantern - White	No	150	205	380	4	-	ES	-	-


ICONS



COMPREHENSIVE INSTRUCTIONS



IP CLASSIFICATIONS



ZONE 0 - Requires electrical products to low voltage (max. 12 volts) and be IPX7 (the mechanical protection is unimportant).

ZONE 1 - Requires electrical products to be IPX4 or better, or SELV with the transformer located beyond zone 2.

ZONE 2 - Requires electrical products to be IPX4 or better, or SELV with the transformer located beyond zone 2.

BEYOND ZONE 2 - When the size of bathroom extends beyond zone 2, portable equipment is allowed, however they should be positioned such that their flex length does not enable them to be used in zone 2.

FIRST DIGIT (INTRUSION PROTECTION)

- 0 No special protection.
- 1 Protection from a large part of the body such as a hand (but no protection from deliberate access); From solid objects greater than 50mm in diameter.
- 2 Protection against fingers or other object not greater than 80mm in length and 12mm in diameter.
- 3 Protection from entry by tools, wires etc, with a diameter of 2.5mm or more.
- 4 Protection against solid bodies larger than 1mm (eg fine tools/small etc).
- 5 Protected against dust that may harm equipment.
- 6 Totally dust tight.


SECOND DIGIT (MOISTURE PROTECTION)

- 0 No protection.
- 1 Protection against condensation.
- 2 Protection against water droplets deflected up to 15° from vertical.
- 3 Protected against spray up to 60° from vertical.
- 4 Protected against water spray from all directions.
- 5 Protection against low pressure water jets (all directions).
- 6 Protection against string water jets and waves.
- 7 Protected against temporary immersion.
- 8 Protected against prolonged effects of immersion under pressure.

IK CLASSIFICATIONS

IK	TEST	ITEM WEIGHT
00	No Protection	No Protection
01-05	Impact: < 1 Joule	No Protection
06	Impact: 1 Joule	500g - 20cm
07	Impact: 2 Joule	500g - 40cm
08	Impact: 5 Joule	1.7kg - 29.5cm
09	Impact: 10 Joule	5kg - 20cm
10	Impact: 20 Joule	5kg - 40cm

FIRE RATED REQUIREMENTS



KELVIN CLASSIFICATIONS





LED LIGHTING

FIRE RATED LIGHTING

IP RATED LIGHTING

INDOOR LIGHTING

OUTDOOR LIGHTING

ASHTOWN TRADING

Mill Lane, Navan Road, Ashtown, Dublin 15

call: 01 838 3195 fax: 01 838 4802

email: sales@ashtowntrading.ie online: www.ashtowntrading.ie